

Compact CNG Gas Car Pump 15L/Min-25L/Min CNG Gas Dispenser

Basic Information

- Place of Origin:
- Brand Name:
- Delivery Time:



China



| Dueduet | Conception and a | |
|---------|------------------|--------------|
| Product | Specification | \mathbf{n} |
| | | |

| Communication Interface: | RS485/RS232 |
|------------------------------|---|
| Unit Price Range: | 0.01-99.99 |
| Accuracy: | ±0.5% |
| Nozzle: | Single Or Dual |
| Power Supply: | AC 220V/50Hz |
| Temperature Range: | -25 To +55 |
| Total Price Range: | 0.01-999999.99 |
| Working Pressure: | 20MPa |
| Highlight: | compact cng gas car pump, cng gas car pump 15I, 25I/min cng gas dispenser |

Compact CNG Gas Dispenser Humidity Range ≤95% Single Or Dual Nozzle Flow Rate 15-25L/min

Product Description:

One of the most notable features of the CNG Gas Dispenser is its long hose length of 4 meters. This length allows for greater flexibility and ease of use, making it the perfect solution for a wide range of refueling applications.

The device utilizes a communication interface of RS485/RS232, which enables seamless communication between the dispenser and the vehicle's onboard computer system. This feature ensures accurate and reliable fueling transactions, making it an ideal choice for fleet operators and commercial CNG refueling stations.

The CNG Gas Dispenser is designed to operate at a working pressure of 20MPa, ensuring that it can handle even the most demanding refueling requirements. This pressure rating is critical in ensuring that the dispenser can efficiently and safely deliver compressed natural gas to vehicles.

Another important feature of the CNG Gas Dispenser is its ability to operate in a wide range of environmental conditions. The device can function in temperatures ranging from -25 to +55, making it suitable for use in almost any climate. Additionally, the dispenser can operate in humidity levels of up to 95%, ensuring that it can be used in a variety of environments without compromising performance. In summary, the CNG Gas Dispenser is a highly advanced and reliable device that is ideal for use in commercial CNG refueling stations and fleet operations. Its long hose length, communication interface, working pressure, and environmental flexibility make it a top choice for those seeking a safe, efficient, and dependable compressed natural gas refueling solution.

Features:

Product Name: CNG Gas Dispenser Model: CD-100 Power Supply: AC 220V/50Hz Working Pressure: 20MPa Nozzle: Single or Dual Unit Price Range: 0.01-99.99 Keywords: CNG Fuel Dispenser, CNG Filling Station Dispenser, Compressed Natural Gas Dispenser

Technical Parameters:

| 1 | |
|-------------------------|--|
| Product | Compressed Gas Fuel Dispenser |
| Model | CD-100 |
| Flow Rate | 15-25L/min |
| Hose Length | 4m |
| Temperature Range | -25 To +55 |
| Nozzle | Single Or Dual |
| Power Supply | AC 220V/50Hz |
| Accuracy | ±0.5% |
| Total Price Range | 0.01-999999.99 |
| Humidity Range | ≤95% |
| Communication Interface | RS485/RS232 |
| Product Type | CNG Distribution Pump, CNG Fueling Equipment |

Applications:

CNG Refueling Stations: The CNG Gas Dispenser is ideal for use in CNG refueling stations. It provides a safe and reliable refueling solution for CNG vehicles, making it a popular choice for gas stations and other refueling facilities.

Fleet Management: The Virette CNG Gas Dispenser is also used in fleet management applications. It allows fleet managers to easily refuel their CNG vehicles, helping them to save time and money.

Public Transport: The Natural Gas Fuel Pump is also used in public transport applications. Buses and other public transport vehicles can be easily refueled using the Virette CNG Gas Dispenser. helping to reduce emissions and save costs.

Industrial Applications: The CNG Gas Dispenser can also be used in industrial applications, such as in factories or warehouses. It

provides a safe and efficient way to refuel CNG-powered equipment, helping to increase productivity and reduce costs.

The CNG Gas Dispenser comes with a variety of features that make it a reliable and efficient solution for CNG refueling. The product is equipped with an LCD display that provides real-time information on the refueling process. It also has a hose length of 4m, making it easy to reach all areas of a CNG vehicle. The product is powered by AC 220V/50Hz, ensuring a stable power supply. The nozzle can be single or dual, depending on the needs of the user. The Virette CNG Gas Dispenser is priced between 0.01-999999.99 and has a delivery time of 20-30 days.

Customization:

Packing and Shipping:

vr more products please visit us on refueling-equipment.com

| Product Packaging: The CNG Gas Dispenser will be safely packed in a sturdy cardboard box to prevent any damage during transportation. The box will be labeled with the product name and description for easy identification. Shipping: We offer free shipping on all orders of the CNG Gas Dispenser within the United States. The product will be shipped within 2 business days of receiving the order and will be delivered within 5-7 business days. For international orders, shipping charges will be applied based on the shipping location and will be displayed during checkout. Please note that the customer is responsible for any customs duties or taxes that may be applied to the order. | | |
|---|---|--|
| Virette Technology Co., Ltd. | | |
| 🕓 +8615651807973 🛛 🕤 ŋ | an.s@youngtiontech.com 📀 refueling-equipment.com | |
| Shizishu Industrial Concentration Zone, Gu | xiongStreet, Yuhuatai District, Nanjing City, Jiangsu Province, China | |