

15-25L/Min Compressed Natural Gas Pump Dual Nozzles Dispenser CNG



Product Specification	
Nozzle:	Single Or Dual
Unit Price Range:	0.01-99.99
Model:	CD-100
• Temperature Range:	-25 To +55
Working Pressure:	20MPa
Power Supply:	AC 220V/50Hz
Flow Rate:	15-25L/min
Total Price Range:	0.01-999999.99
Highlight:	251/min compressed natural gas pump, 251 dispenser cng, 251/min dispenser cng

CD-100 CNG Dispenser with 4m Hose and RS485/RS232 Communication

Product Description:

Our CNG Gas Dispenser boasts a high level of accuracy, providing a precision of ±0.5%. This ensures that you get the exact amount of fuel that you need without any wastage.

The unit price range of our dispenser ranges from 0.01-99.99, giving you the flexibility to choose the amount that suits your budget. With a flow rate of 15-25L/min, our dispenser provides a quick and hassle-free fueling experience, allowing you to get back on the road in no time.

In addition to its high accuracy and efficiency, our CNG Gas Dispenser also comes with a communication interface that supports RS485/RS232. This feature allows for easy integration with your existing fuel management systems, ensuring seamless fueling for your natural gas-powered vehicles.

Our CNG Gas Dispenser is a reliable and durable product that is built to last. Its sturdy construction ensures that it can withstand heavy usage and harsh environmental conditions.

Investing in our CNG Gas Dispenser is a smart choice for those looking for a cost-effective and eco-friendly fueling option. With our product, you can enjoy the benefits of natural gas fuel while also contributing to a greener environment.

Get your hands on the best CNG Fueling Equipment in the market today. Our CNG Gas Dispenser is the perfect choice for fueling your natural gas-powered vehicles.

Features:

Product Name: CNG Gas Dispenser Total Price Range: 0.01-999999.99 Hose Length: 4m Nozzle: Single Or Dual Display: LCD Model: CD-100 Compressed Gas Fuel Dispenser CNG Distribution Pump Natural Gas Fuel Pump

Technical Parameters:

Power Supply	AC 220V/50Hz
Humidity Range	≤95%
Model	CD-100
Hose Length	4m
Working Pressure	20MPa
Flow Rate	15-25L/min
Display	LCD
Accuracy	±0.5%
Nozzle	Single Or Dual
Communication Interface	RS485/RS232

Applications:

The Virette CNG Gas Dispenser is equipped with a communication interface of RS485/RS232, making it easy to integrate into your system. The hose length of 4m allows for flexibility in positioning the dispenser and the single or dual nozzle options provide versatility for different vehicles. The working pressure of 20MPa ensures that the dispenser can handle high-pressure gas without any issues. This CNG Gas Dispenser is perfect for various occasions and scenarios, such as gas stations, bus depots, truck terminals, and fleet maintenance facilities. It is also ideal for countries and cities that are looking to promote clean energy and reduce their carbon footprint. With the Virette CNG Gas Dispenser, you can provide your customers with a convenient and eco-friendly fueling option.

Customization:

We offer product customization services for our CNG Gas Dispenser product, the Virette CD-100, which is a reliable and efficient CNG fuel dispenser. The dispenser is manufactured in China and has a delivery time of 20-30 days.

The dispenser features an LCD display and has a temperature range of -25 to +55, making it suitable for use in various weather conditions. It is designed to work at a working pressure of 20MPa and has a unit price range of 0.01-99.99.

Our product customization services allow you to tailor the CNG fuel dispenser to your specific needs. You can choose to customize the dispenser's features, such as its display, temperature range, and working pressure. This makes the Virette CD-100 ideal for use in a CNG refueling machine or a CNG filling station dispenser.

1	Product Packaging:
	<u>1 CNG gas dispenser unit</u>
	1 User manual
	1 Installation guide
	1 Warranty information
	Shipping:
	Ships within 3-5 business days
	Shipping cost calculated at checkout
	Product shipped in secure packaging to ensure safe arrival
	Shipping available to continental US only
	Virette Technology Co., Ltd.
	🕓 +8615651807973 🛛 🔄 ryan.s@youngtiontech.com 🖉 refueling-equipment.com

Shizishu Industrial Concentration Zone, GuxiongStreet, Yuhuatai District, Nanjing City, Jiangsu Province, China